



FIG. 1



Applicant: Emil GIZA Q93024
Filed: February 3, 2006
For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

2 OF 8

FIG. 2



Applicant: Emil GIZA

Q93024


Filed: February 3, 2006

For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

3 OF 8

FIG. 3A

BEST AVAILABLE COPY



Invention method

04849

Applicant: Emil GIZA

Q93024

Filed: February 3, 2006

For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

4 OF 8

FIG. 3B



DIP method

04849

BEST AVAILABLE COPY

Applicant: Emil GIZA


Q93024

Filed: February 3, 2006

For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

5 OF 8

FIG. 3C



Brushing method


BEST AVAILABLE COPY

04849

Applicant: Emil GIZA
Filed: February 3, 2006
Q93024
For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

6 OF 8


FIG. 4



Applicant: Emil GIZA
Filed: February 3, 2006
For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

7 OF 8

FIG. 5



Applicant: Emil GIZA
Filed: February 3, 2006
For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

8 OF 8

FIG. 6

